



Phytoremediation of **Groundwater at Air Force Plant 4** Carswell, Texas

Innovative Technology Evaluation Report



















Phytoremediation of Groundwater at Air Force Plant 4

Carswell, Texas

Innovative Technology Evaluation Report

National Risk Management Research Laboratory
Office of Research and Development
U.S. Environmental Protection Agency
Cincinnati, Ohio 45268

Notice

The information in this document has been found wholly or in part by the U.S. Environmental Protection Agency (EPA) in partial fulfillment of Contract No. 68-C0-0048 and Contract No. 68-C5-0036 to Science Applications International Corporation. It has been subject to the Agency's peer and administrative review, and it has been approved for publication as an EPA document. Mention of trade names of commercial products does not constitute an endorsement or recommendation for use.

Foreword

The U.S. Environmental Protection Agency is charged by Congress with protecting the Nation's land, air, and water resources. Under a mandate of national environmental laws, the Agency strives to formulate and implement actions leading to a compatible balance between human activities and the ability of natural systems to support and nurture life. To meet this mandate, EPA's research program is providing data and technical support for solving environmental problems today and building a science knowledge base necessary to manage our ecological resources wisely, understand how pollutants affect our health, and prevent or reduce environmental risks in the future.

The National Risk Management Research Laboratory (NRMRL) is the Agency's center for investigation of technological and management approaches for reducing risks from threats to human health and the environment. The focus of the Laboratory's research program is on methods for the prevention and control of pollution to air, land, water, and subsurface resources; protection of water quality in public water systems; remediation of contaminated sites and ground water; and prevention and control of indoor air pollution. The goal of this research effort is to catalyze development and implementation of innovative, cost-effective environmental technologies; develop scientific and engineering information needed by EPA to support regulatory and policy decisions; and provide technical support and information transfer to ensure effective implementation of environmental regulations and strategies.

This publication had been produced as part of the Laboratory's strategic long-term research plan. It is published and made available by EPA's Office of Research and Development to assist the user community and to link researchers with their clients.

Hugh McKinnon, Director National Risk Management Research Laboratory

Abstract

A demonstration of a Phytoremediation Groundwater Treatment system was conducted at the Carswell Naval Air Sation (NAS) Golf Club in Fort Worth, Texas to investigate the ability of purposely planted eastern cottonwood trees, Populus deltoides, to help remediate shallow TCE-contaminated groundwater in a subhumid climate. Specifically, the study was undertaken to determine the potential for a planted system to hydraulically control the migration of contaminated groundwater, as well as biologically enhance the subsurface environment to optimize in-situ reductive dechlorination of chlorinated ethenes present (trichloroethene and cis-1,2-dichloroethene) in the shallow aquifer system beneath a portion of the golf course. Populus deltoides, like other phreatophytes, have long been recognized as having the ability to tap into the saturated zone to extract water for metabolic processes. Based upon this characteristic the species was considered well suited for applications where shallow aquifers are contaminated with biodegradable organic contaminants. A planted system of cottonwood trees is believed to effectuate two processes that aid and accelerate contaminant attenuation. First, transpiration of groundwater through the trees is believed to be able to modify and hopefully control the hydraulic groundwater gradient. This can minimize the rate and magnitude of migrating contaminants downgradient of the tree plantation. Secondly, the establishment of the root biomass, or rhizosphere, promotes microbial activity and may enhance biodegradative processes in the subsurface. To assess the performance of the system, hydrologic and geochemical data were collected over a three-year period (August 1996 through September 1998). In addition to investigating changes in groundwater hydrology and chemistry, the trees were studied to determine important physiological processes such as rates of water usage, translocation and volatilization of these volatile organic compounds, and biological transformations of chlorinated ethenes within the plant organs.

The demonstration site is situated about one mile from the southern area of the main assembly building at Air Force Plant 4 (Plant 4) at the Carswell NAS. The assembly building is the primary suspected source of TCE at the demonstration site. The evaluation of this technology application was a joint effort between the U.S. Air Force (USAF), the U.S. Geological Survey, the U.S. Forest Service, the Department of Defense's (DoD's) Environmental Security Technology Certification Program (ESTCP), and the U.S. EPA's SITE program.

Contents

Foreword . Abstract	 			iii iv	
			Symbols		
			· · · · · · · · · · · · · · · · · · ·		
Section 1	Introd	luction		1	
	1.1				
	1.2		escription of SITE Program and Reports		
	1.3		TE Demonstration Program		
	1.4		se of the Innovative Technology Evaluation Report (ITER)		
	1.5		ology Description		
	1.6		ontacts		
Section 2	Toohr	aalaay An	plications Analysis	0	
Section 2	2.1		eatures		
	2.1		bility of the Technology		
	2.2		able Wastes		
	2.3		bility and Transportability of the Equipment		
	2.4		als Handling Requirements		
	2.5 2.6		upport Requirements		
	2.0		of Suitable Site Characteristics		
	2.7				
	2.6 2.9		ions of the Technology		
	2.9	2.9.1	blogy Performance Versus ARARS	13	
		2.9.1	Comprehensive Environmental Response, Compensation,	11	
		2.9.2	and Liability Act (CERCLA)		
		2.9.2	Clean Air Act (CAA)		
		2.9.3	Clean Water Act (CWA)		
		2.9.4	Safe Drinking Water Act (SDWA)		
		2.9.5			
		2.9.0	Toxic Substances Control Act (TSCA)	10	
		2.9.7	Occupational Safety and Health Administration (OSHA) Requirements	18	
		2.9.8	State Requirements		
Section 3	Economic Analysis				
	3.1		iction		
	3.2		isions		
	3.3		s Affecting Estimated Cost		
	3.4		and Assumptions		

		3.4.1	Site Size and Characteristics	23	
		3.4.2	System Design and Performance Factors	24	
		3.4.3	System Operating Requirements	24	
			Financial Assumptions		
	3.5		of the Economic Analysis		
			Site Preparation		
			Permitting and Regulatory Requirements		
			Capital Equipment		
			Startup and Fixed Costs		
			Consumable and Supplies		
			Labor		
			Utilities		
			Effluent Treatment and Disposal		
			Residuals & Waste Shipping, Handling and Storage		
			Analytical Services		
			Maintenance and Modifications		
			Demobilization		
		0.0			
Section 4	Treati	ment Effec	tiveness	32	
000	4.1		ound		
	4.2	_	I Description of the Short Rotation Woody Crop	02	
			water Treatment System	33	
			Site Selection		
			Site Characterization		
			Size and Configuration of the Tree Plantations		
			Planting and Installation of the Irrigation System		
			Irrigation		
			Monitoring		
	4.3		Objectives		
	4.5		Primary Project Objective		
			Secondary Project Objectives		
	4.4		ance Data		
	4.4				
			Summary of Results - Primary Objective		
	4.5		Summary of Results - Secondary Objectives		
	4.5	Discuss	ion	50	
Castian F	Oth a m	Taabaalaa	nu. Do suine ma amba	F.(
Section 5	Other Technology Requirements				
			mental Regulation Requirements		
	5.2		nel Issues		
	5.3	Commu	nity Acceptance	58	
0	Tb-				
Section 6	Technology Status				
	6.1		s Experience		
	6.2	Scaling	Capabilities	59	
	Б.				
Appendix A			aluate Primary Project Objective		
Appendix B	Air Fo	rce Recon	nmendations	B-1	

Tables

2-1	Federal and State Applicable and Relevant and Appropriate Requirements	
	(ARARS) for Tree Based Phytoremediation System	15
3-1	Estimated Full-Scale Costs for a 200,000 Square Foot Hypothetical	
	Phytoremediation Model Site	20
4-1	Summary of Primary Objective Results	40
4-2	Average Concentration of Detectable Volatile Compounds In Plant Tissue	49
4-3	Pseudo First Order Disappearance Rate Constants for the Plant-Leaf	
	Mediated Transformation of TCE	51
4-4	Average TCE and DCE Concentrations in Monitoring Wells	51
4-5	TCE to Cis-1,2-DCE Ratio	52
4-6	Selected chemical data from wells used to define terminal electron accepting	
	processes (TEAP) at the demonstration site	53
4-7	Results of microbial population survey	54

Figures

1-1	SRWCG1 Process Mechanisms	5
3-1	Layout of 200,000 Square Foot Hypothetical Model Site for Cost Analysis	. 25
4-1	Phytoremediation Groundwater Treatment System site layout	35
4-2	Wells Used to Monitor For Changes in the Volumetric Flux of Groundwater	
	Across the Downgradient End of the Short Rotation Woody Crop Groundwater	
	Treatment System	37
4-3	Drawdown at the Water Table That can be Attributed to the Trees	. 40
4-4	Trunk Diameter Over Time	. 42
4-5	Tree Height Over Time	. 42
4-6	Canopy diameter Over Time	. 43
4-7	Caliper-Tree Plantation at the Time of Planting, April 1996	. 43
4-8	Caliper-Tree Plantation at the End of Third Growing Season	
	October 1998	
4-9	Root Counts by Depth	44
4-10	Variation in the Mean Hourly SapFlow Rate (a) Expressed on a Per Tree	
	Basis and (b) expressed on a Per Unit Basal Area Basis. Data are Sample	
	Period Means for all Months (p<0.05) Differences Between Whips and	
	Caliper Trees are Denoted by *. Vertical Lines on all Bars Represent	
	Standard errors	45
4-11	Minimum Predicted Drawdown at the Water Table for Closed-Canopy	
	Conditions (year 12 and beyond)	47
4-12	Maximum Predicted Drawdown at the Water Table for Closed-Canopy	
	Conditions (year 12 and beyond)	47
4-13	Simulated Groundwater Budget (A) Prior to Treatment, (B) Peak of the	
	Third Growing Season (1998), © Peak of the Growing Season Once	
	Closed Canopy has been Achieved (year 12 and beyond)-Minimum	
	Predicted Transpiration, and (D) Peak of the Growing Season Once	
	Closed Canopy has been Achieved (year 12 and beyond)-Maximum	
	Predicted Transpiration	. 48

Acronyms, Abbreviations and Symbols

A Cross-Sectional Area of Aquifer

AACE American Association of Cost Engineers

AFB Air Force Base

AFCEE Air Force Center for Environmental Excellence

AQCR Air Quality Control Regions
AQMD Air Quality Management District

ARARs Applicable or Relevant and Appropriate Requirements

ASC/ENV Aeronautical Systems Center Acquisition, Environmental, Safety and Health

Division

ATTIC Alternative Treatment Technology Information Center

BGS Below Ground Surface

BFDP Biofuel Feedstock Development Program
BTEX Benzene, Toluene, Ethylbenzene, and Xylenes

CAA Clean Air Act

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CERI Center for Environmental Research Information

CFR Code of Federal Regulations

CGC Carswell Golf Club cm/s centimeters/second

cm Centimeter CWA Clean Water Act

d day

DCE Dichloroethene
DO Dissolved Oxygen
DoD Department of Defense
DoE Department of Energy

ESTCP Environmental Security Technology Certification Program

ft feet g gram

gptpd Gallons per Tree per Day

ha Hectare hr Hour

I Hydraulic Gradient

IRP Installation Restoration Program

ITER Innovative Technology Evaluation Report

K Hydraulic Conductivity

Kg Kilogram m Meter m/d meters/day

MCLGs Maximum Contaminant Level Goals
MCLs Maximum Contaminant Levels

mg/L milligrams per liter

Acronyms, Abbreviations and Symbols(Cont'd)

mm Millimeter

MPN Most Probable Number

NAAQS National Ambient Air Quality Standards

NAS Naval Air Station

NCP National Oil and Hazardous Substances Pollution Contingency Plan

NPDES National Pollutant Discharge Elimination System

NPL National Priorities List

NRMRL National Risk Management Research Laboratory

O&M Operation & Maintenance

ORD Office of Research and Development
ORNL Oak Ridge National Laboratory

OSHA Occupational Safety and Health Administration
OSWER Office of Solid Waste and Emergency Response

PA Preliminary Assessment
PCBs Polychlorinated Biphenyls
POTW Publicly Owned Treatment Works
PPE Personal Protective Equipment

Q Volumetric Flux

QA/QC Quality Assurance/Quality Control

RCRA Resource Conservation and Recovery Act RI/FS Remedial Investigation/Feasibility Study

ROD Record of Decision

SAIC Science Applications International Corporation
SARA Superfund Amendments and Reauthorization Act

SDWA Safe Drinking Water Act

SITE Superfund Innovative Technology Evaluation

SWDA Solid Waste Disposal Act

TCE Trichloroethene

TEAP Terminal Electron-Accepting Process
TER Technology Evaluation Report

TOC Total Organic Carbon

TSCA Toxic Substances Control Act
TSD Treatment Storage and Disposal

USACE United States Army Corps of Engineers

USAF United States Air Force

USDA United States Department of Agriculture

USEPA United States Environmental Protection Agency

USGS United States Geological Survey

VC Vinyl Chloride

VISITT Vendor Information System for Innovative Treatment Technologies

VOCs Volatile Organic Compounds

Acknowledgments

This report would like to acknowledge the financial support of the Department of Defense's Environmental Security Office (ESTCP), The United States Environmental Protection Agency, and the United States Air Force Aeronautical Systems Center Engineering Directorate Environmental Safety and Health Division at Wright-Patterson Air Force Base. The authors of this report also acknowledge the technical contributions of urban forester Larry Schaapveld of the Texas State Forest Service who was instrumental in making this project a success.